

# Prestone®

**EXCELS IN EXTREMES**

# COOLANT ANTIFREEZE



**ALL MAKES, ALL MODELS,  
ALL ENGINES, GUARANTEED**

**MIXES SAFELY WITH ANY EXISTING  
COOLANT/ANTIFREEZE IN THE SYSTEM**

**PATENTED ANTI-CORROSIVE TECHNOLOGY**



# Prestone<sup>®</sup>

**EXCELS IN EXTREMES**

## ALL MAKES, ALL MODELS, ALL ENGINES, GUARANTEED


### 100% OF THE COOLANT MARKET COVERED WITH ONE OE FORMULA

- Prestone coolant is guaranteed to be suitable for ALL cars and light duty vehicles on the road today, including modern, vintage, classics and hybrid technology models.
- Mixes safely with ANY coolant/antifreeze already in the system, reducing degradation and improving its performance by repairing the stability and corrosion protection.
- Exceeds the performance requirements for all vehicle manufacturers including the VAG 'G' specifications.
- Developed with and trusted by OE vehicle manufacturers for factory fill in Europe and across the globe.
- Instantly layers and bonds to cooling system components, protecting the entire cooling system and stopping the spread of cavitation, erosion, corrosion and rust.

**Prestone<sup>®</sup>  
CLEAN**

**VS**

**Ordinary Coolant  
Corrosion & Pitting**



\*ASTM part tested to 300 hrs / high stress test.



# "LIKE NEW"

85,000 Miles

Hoses: **Prestone**



Hoses: Ordinary Coolant



Gunk & Grime

**Prestone**® keeps engine parts clean to provide maximum engine performance.

**Prestone**  
Antifreeze  
Coolant

Ordinary  
Antifreeze  
Coolant



VS



IMAGES FROM  
ACTUAL CAVITATION  
PUMP TEST  
Based on lab testing

- Prestone prevents corrosion inside the cooling system, protecting each metal and non-metal part and ensuring longer engine life.
- Provides like new performance after 4 million mile fleet test.

## PATENTED ANTI-CORROSION TECHNOLOGY GUARANTEES PROTECTION FOR UP TO 10 YEARS OR 300,000 MILES





# Prestone®

## EXCELS IN EXTREMES

PRODUCT NAME	BOTTLE SIZE	UPC	ITEM CODE
Prestone Ready to Use Coolant	1L	4	PAFR0035A
Prestone Ready to Use Coolant	4L	4	PAFR0038A
Prestone Ready to Use Coolant	20L	1	PAFR0041A
Prestone Concentrate Coolant	1L	4	PAFR0042A
Prestone Concentrate Coolant	4L	4	PAFR0045A
Prestone Concentrate Coolant	20L	1	PAFR0048A
Prestone Concentrate Coolant	60L	1	PAFR0049A
Prestone Concentrate Coolant	205L	1	PAFR0050A



**AVAILABLE IN 1L, 4L, 20L, 60L & 205L IN  
CONCENTRATE & READY TO USE FORMULATIONS**

**For more information please contact our dedicated sales team**

**Tel: 0161 866 4800**

**Email: [sales@holtsauto.com](mailto:sales@holtsauto.com)**

**[www.holtsauto.com](http://www.holtsauto.com)**